

| Project Title | Funding | Strategic Plan Objective | Institution |
|--------------------------------------------------------------------------------------------------------------------------------|-------------|--------------------------|---------------------------------------------|
| Wiring the brain: From genetic to neuronal networks | \$13,000 | Q2.Other | University of North Carolina at Chapel Hill |
| Whole-genome sequencing for rare highly penetrant gene variants in schizophrenia | \$1,671,247 | Q3.S.C | Duke University |
| White matter connections of the face processing network in children and adults | \$41,176 | Q2.S.D | Stanford University |
| Visual processing and later cognitive effects in infants with fragile X syndrome | \$249,794 | Q1.Other | University of California, Davis |
| Virtual reality and augmented social training for autism | \$205,812 | Q4.Other | University of California, Davis |
| Vasopressin receptors and social attachment | \$121,500 | Q4.S.B | Emory University |
| Validation study of atypical dynamic pupillary light reflex as a biomarker for autism | \$204,525 | Q1.L.A | University of Missouri |
| Using induced pluripotent stem cells to identify cellular phenotypes of autism | \$800,000 | Q2.S.G | Stanford University |
| Using functional physiology to uncover the fundamental principles of visual cortex | \$323,000 | Other | Carnegie Mellon University |
| Using CBPR to design & pilot a physical activity program for youth with ASD | \$213,706 | Other | University of Massachusetts Medical School |
| Upgrade to multiuser 3T magnetic resonance imager | \$500,000 | Q2.Other | University of Kentucky |
| Unraveling the genetic etiology of autism | \$491,266 | Q3.L.B | Vanderbilt University |
| Understanding the delay in the diagnosis of autism | \$139,072 | Q1.S.C | University of Pennsylvania |
| Understanding the cognitive impact of early life epilepsy | \$845,000 | Q2.S.E | Children's Hospital Boston |
| TrkB agonist(s), a potential therapy for autism spectrum disorders | \$269,500 | Q2.S.D | University of California, Los Angeles |
| Treatment of sleep problems in children with autism spectrum disorder with melatonin: A double-blind, placebo-controlled study | \$6,814 | Q2.S.E | Baylor College of Medicine |
| Treatment of medical conditions among individuals with autism spectrum disorders | \$535,209 | Q2.S.E | National Institutes of Health (NIH) |
| Treatment of autism spectrum disorders with a glutamate antagonist | \$203,517 | Q4.S.C | National Institutes of Health (NIH) |
| Treatment as usual and peer engagement in teens with high functioning autism | \$397,852 | Q4.S.F | Seattle Children's Hospital |
| Translation regulation in hippocampal LTP and LTD | \$375,817 | Q2.S.D | New York University |
| Translating autism intervention for mental health services via knowledge exchange | \$169,101 | Q5.L.A | University of California, San Diego |
| Transgenic mouse model to address heterogeneity in autism spectrum disorders | \$454,745 | Q4.S.B | Vanderbilt University |
| Training outpatient clinicians to deliver cognitive behavior therapy to children | \$212,376 | Q4.S.C | University of Colorado Denver |
| Towards an endophenotype for amygdala dysfunction | \$384,145 | Q2.Other | California Institute of Technology |
| Tools for automated assessment of language | \$198,687 | Q1.Other | Biospeech, Inc. |
| Time perception and timed performance in autism | \$89,871 | Q2.Other | Kennedy Krieger Institute |

| Project Title | Funding | Strategic Plan Objective | Institution |
|----------------------------------------------------------------------------------|-------------|--------------------------|-------------------------------------------------------------|
| The role of the Rett gene, chromosome 15Q11-Q13, other genes, and epigenetics | \$18,368 | Q3.L.B | Baylor College of Medicine |
| The role of the amygdala in autism | \$152,144 | Q2.Other | University of California, Davis |
| The role of MECP2 in Rett syndrome (supplement) | \$34,417 | Q3.Other | University of California, Davis |
| The role of MECP2 in Rett syndrome | \$308,949 | Q3.Other | University of California, Davis |
| The role of Fox-1 in neurodevelopment and autistic spectrum disorder | \$139,471 | Q2.Other | University of California, Los Angeles |
| Theory of Mind software for autism and other communication disorders | \$949,376 | Q4.Other | Laureate Learning Systems, Inc. |
| The ontogeny of social visual engagement in infants at risk for autism | \$584,587 | Q1.L.A | Yale University |
| The neural substrates of repetitive behaviors in autism | \$54,436 | Q2.Other | Boston University Medical Campus |
| The neural basis of social cognition | \$325,651 | Q2.Other | Indiana University |
| The neural basis of sexually dimorphic brain function | \$349,395 | Q2.S.B | University of Massachusetts Amherst |
| The mirror neuron system in the monkey and its role in action understanding | \$184,470 | Q2.Other | Massachusetts General Hospital |
| The microstructural basis of abnormal connectivity in autism | \$348,980 | Q2.Other | University of Utah |
| The microRNA pathway in translational regulation of neuronal development | \$417,813 | Q2.S.D | J. David Gladstone Institutes |
| The MET signaling system, autism and gastrointestinal dysfunction | \$292,923 | Q3.Other | University of Southern California |
| The intersection of autism and ADHD | \$155,319 | Q4.S.F | Washington University in St. Louis |
| The impact of classroom climate on autism intervention fidelity and outcomes | \$41,176 | Q4.Other | University of Pennsylvania |
| The genetic control of social behavior in the mouse | \$346,000 | Q4.S.B | University of Hawai'i at Manoa |
| The fusiform and amygdala in the pathobiology of autism | \$311,951 | Q2.Other | Children's Hospital of Philadelphia |
| The effects of oxytocin on complex social cognition in autism spectrum disorders | \$279,520 | Q4.L.A | Mount Sinai School of Medicine |
| The development of object representation in infancy | \$248,095 | Q2.Other | Regents of University of California |
| The development of joint attention after infancy | \$307,063 | Q1.Other | Georgia State University |
| The development of face processing | \$529,515 | Q1.S.B | Children's Hospital Boston |
| The development and redevelopment of lexical and sublexical representations | \$380,273 | Q2.Other | The Research Foundation of the State University of New York |
| The creation of ASDRA (Autism Spectrum Disorder Risk Alert) | \$968,717 | Q1.S.A | Tiranoff Productions, LLC |
| The cognitive neuroscience of autism spectrum disorders | \$1,335,493 | Q2.Other | National Institutes of Health (NIH) |
| | | | |

| Project Title | Funding | Strategic Plan Objective | Institution |
|-----------------------------------------------------------------------------------------|-------------|--------------------------|---------------------------------------------------|
| The CHARGE Study: Childhood Autism Risks from Genetics and the Environment (supplement) | \$405,700 | Q3.S.F | University of California, Davis |
| The CHARGE Study: Childhood Autism Risks from Genetics and the Environment (supplement) | \$1,212,792 | Q3.S.F | University of California, Davis |
| The CHARGE Study: Childhood Autism Risks from Genetics and the Environment | \$1,015,021 | Q3.S.C | University of California, Davis |
| Taste, smell, and feeding behavior in autism: A quantitative traits study (supplement) | \$151,884 | Q2.Other | University of Rochester |
| Taste, smell, and feeding behavior in autism: A quantitative traits study | \$592,498 | Q2.Other | University of Rochester |
| Targeted pharmacologic interventions for autism | \$355,516 | Q4.L.C | Indiana University-Purdue University Indianapolis |
| Synaptic processing in the basal ganglia | \$392,444 | Q3.Other | University of Washington |
| Synaptic plasticity, memory and social behavior | \$50,054 | Q4.S.B | New York University |
| Synaptic analysis of neuroligin 1 function | \$50,054 | Q2.S.D | Stanford University |
| Studying the biology and behavior of autism at 1-year: The Well-Baby Check-Up Approach | \$261,462 | Q1.L.A | University of California, San Diego |
| Studies on protein synthesis and long-term adaptive responses in the CNS | \$1,659,897 | Q4.S.B | National Institutes of Health (NIH) |
| Studies of social communication in speakers with autism spectrum disorder | \$286,883 | Q1.Other | Yale University |
| Studies of central nervous system functional anatomy | \$1,340,580 | Q3.Other | National Institutes of Health (NIH) |
| Structural brain differences between autistic and typically-developing siblings | \$12,030 | Q2.Other | Stanford University |
| Structural and functional neural correlates of early postnatal deprivation | \$148,768 | Q3.Other | Wayne State University |
| Stimulus structure enhancement of visual symbol detection in AAC | \$150,714 | Q4.Other | University of Massachusetts Medical School |
| Steroid receptors and brain sex differences | \$301,301 | Q2.S.B | University of Wisconsin - Madison |
| Statistics and Research Design Core | \$286,888 | Other | Yale University |
| Social evaluation in infants and toddlers | \$413,750 | Q1.L.B | Yale University |
| Social-emotional development of infants at risk for autism spectrum disorders | \$606,646 | Q1.Other | Vanderbilt University |
| Social determinants of the autism epidemic | \$805,000 | Q3.L.C | Columbia University |
| Social communication phenotype of ASD in the second year | \$251,746 | Q1.L.A | Florida State University |
| Social and affective components of communication | \$152,186 | Q2.Other | The Salk Institute for Biological Studies |
| Social-affective bases of word learning in fragile X syndrome and autism | \$552,090 | Q1.Other | University of Wisconsin - Madison |
| Slick and slack heteromers in neuronal excitability | \$53,354 | Q2.Other | Yale University |

| Project Title | Funding | Strategic Plan Objective | Institution |
|-----------------------------------------------------------------------------------------------|-------------|--------------------------|-----------------------------------------------------------|
| Simons Simplex Collection | \$8,592 | Q7.D | Baylor College of Medicine |
| Sibling-mediated social communicative intervention for children with autism spectrum disorder | \$71,700 | Q4.Other | University of Idaho |
| Sex differences in early brain development: Brain development in Turner syndrome | \$150,049 | Q2.S.D | University of North Carolina at Chapel Hill |
| Sex chromosomes, epigenetics, and neurobehavioral disease | \$374,036 | Q2.S.B | University of Virginia |
| Service transitions among youth with autism spectrum disorders | \$225,355 | Q6.L.B | Washington University in St. Louis |
| Serotonin, corpus callosum, and autism | \$303,250 | Q4.S.B | University of Mississippi Medical Center |
| Serotonin, autism, and investigating cell types for CNS disorders | \$90,000 | Q4.S.B | The Rockefeller University |
| Sensory processing and integration in autism | \$593,677 | Q2.Other | City College of New York |
| Sensory experiences in children with autism (supplement) | \$315,122 | Q1.Other | University of North Carolina at Chapel Hill |
| Sensory experiences in children with autism | \$486,700 | Q1.Other | University of North Carolina at Chapel Hill |
| Sensorimotor learning of facial expressions: A novel intervention for autism | \$497,336 | Q4.Other | University of California, San Diego |
| Selective disruption of hippocampal dentate granule cells in autism: Impact of PTEN deletion | \$375,000 | Q2.S.E | Cincinnati Children's Hospital Medical Center |
| Role of neuroligins in long-term plasticity at excitatory and inhibitory synapses | \$57,194 | Q2.S.D | Albert Einstein College of Medicine of Yeshiva University |
| Role of L-type calcium channels in hippocampal neuronal network activity | \$32,191 | Q4.S.B | Stanford University |
| Role of excitation and inhibition in Rett syndrome | \$32,922 | Q2.S.D | Baylor College of Medicine |
| Robot-child interactions as an intervention tool for children with autism | \$204,403 | Q4.Other | University of Connecticut |
| RNA-Seq studies of gene expression in cells and networks in FI and ACC in autism | \$564,301 | Q2.Other | California Institute of Technology |
| RNA expression patterns in autism | \$739,224 | Q3.L.B | Children's Hospital Boston |
| Reward systems in children with autism | \$29,840 | Q1.L.B | University of California, Los Angeles |
| Reward system in autism | \$181,125 | Q2.Other | Kennedy Krieger Institute |
| Restricted and repetitive behaviors in young children with autism (supplement) | \$23,131 | Q2.Other | Duke University |
| Research Center for the Study of Gene Structure and Function (supplement) | \$299,668 | Q3.L.B | Hunter College |
| Regulation of MET expression in autism disorder and forebrain ontogeny | \$25,800 | Q2.S.G | Vanderbilt University |
| Regulation of gene expression in the brain | \$2,125,882 | Q2.Other | National Institutes of Health (NIH) |
| | | | |

| Project Title | Funding | Strategic Plan Objective | Institution |
|----------------------------------------------------------------------------------------|-----------|--------------------------|-----------------------------------------------|
| Regulation of activity-dependent ProSAP2 synaptic dynamics | \$41,176 | Q2.Other | Stanford University |
| Regulation of 22q11 genes in embryonic and adult forebrain | \$305,105 | Q2.S.D | University of North Carolina at Chapel Hill |
| Rapid characterization of balanced genomic rearrangements contributing to autism | \$49,343 | Q2.S.G | Massachusetts General Hospital |
| Randomized study of training in autism | \$499,999 | Q5.S.A | University of Kentucky |
| Randomized controlled trial of the P.L.A.Y. Project intervention for autism | \$553,924 | Q4.Other | Richard Solomon, MD, PLC |
| Radiofrequency transmit and receive upgrade for 3T research scanner | \$500,000 | Q2.Other | Kennedy Krieger Institute |
| Pupil size and circadian salivary variations in autism spectrum disorder | \$70,138 | Q1.L.A | University of Kansas |
| Psychosis and autoimmune diseases in Denmark | \$148,389 | Q3.S.E | Johns Hopkins University |
| Providing core support for Jr. faculty for translational research in ASD | \$658,591 | Q7.K | University of California, Los Angeles |
| Proteomics in Drosophila to identify autism candidate substrates of UBE3A (supplement) | \$10,000 | Q2.S.D | University of Tennessee Health Science Center |
| Proteomics in Drosophila to identify autism candidate substrates of UBE3A | \$319,550 | Q2.S.D | University of Tennessee Health Science Center |
| Prospective study of infants at high risk for autism | \$286,887 | Q1.L.A | Yale University |
| Project 3: Neurodevelopmental toxicology of autism | \$136,181 | Q3.Other | University of California, Davis |
| Project 2: Immunological susceptibility of autism | \$136,181 | Q2.S.A | University of California, Davis |
| Project 1: Environmental epidemiology of autism | \$213,876 | Q3.L.C | University of California, Davis |
| Probing disrupted cortico-thalamic interactions in autism spectrum disorders | \$518,375 | Q4.S.B | Children's Hospital Boston |
| Primate models of autism | \$724,953 | Q2.S.A | University of California, Davis |
| Primate models of autism | \$106,671 | Q4.S.B | University of California, Davis |
| Prenatal factors and risk of autism in a Finnish national birth cohort | \$840,697 | Q3.S.C | New York State Psychiatric Institute |
| Prenatal exposure to polyfluoroalkyl compounds in the EMA study | \$272,062 | Q3.S.F | Kaiser Foundation Research Institute |
| Predicting useful speech in children with autism (supplement) | \$59,553 | Q1.L.B | Vanderbilt University |
| Predicting useful speech in children with autism | \$689,435 | Q1.L.B | Vanderbilt University |
| Predicting outcome at age 5 of younger siblings of children with ASD | \$40,866 | Q1.L.A | Vanderbilt University |
| Precursors of theory of mind in young children with autism | \$79,227 | Q2.Other | Carnegie Mellon University |
| | | | |

| Project Title | Funding | Strategic Plan Objective | Institution |
|-----------------------------------------------------------------------------------|-------------|--------------------------|---------------------------------------------------|
| Pre- and postnatal neurobehavioral profiles in infants at risk for autism | \$74,200 | Q1.Other | Women and Infants Hospital of Rhode Island |
| Pragmatic skills of young males and females with fragile X syndrome | \$517,519 | Q2.L.A | University of North Carolina at Chapel Hill |
| Portable guidance in autism spectrum disorder | \$282,025 | Q1.Other | SymTrend, Inc. |
| Plasticity in autism spectrum disorders: Magnetic stimulation studies | \$14,963 | Q1.L.B | Beth Israel Deaconess Medical Center |
| Physiological and behavioral characterization of sensory dysfunction in autism | \$77,250 | Q2.Other | Thomas Jefferson University |
| Pharmacotherapy of pervasive developmental disorders | \$184,259 | Q4.L.C | Indiana University-Purdue University Indianapolis |
| Pharmacogenomics in autism treatment | \$121,239 | Q4.L.C | University of California, Davis |
| Pharmacogenomics in autism treatment | \$83,961 | Q4.L.C | University of California, Davis |
| Performance indices of social disability in toddlers with autism | \$497,995 | Q1.L.B | Yale University |
| Perceptual factors affecting social attention in autism spectrum disorders | \$82,750 | Q1.L.B | Yale University |
| Perception of social and physical contingencies in infants with ASD | \$413,750 | Q1.L.B | Yale University |
| Pediatric Pharmacology Research Unit | \$243,183 | Other | Wayne State University |
| Patient iPS cells with copy number variations to model neuropsychiatric disorders | \$210,546 | Q2.S.G | The Hospital for Sick Children |
| Parenting your young child with autism: A web-based tutorial | \$248,373 | Q4.Other | Center for Psychological Consultation |
| Oxytocin vs. placebo on response inhibition and face processing in autism | \$1,712 | Q4.L.A | Mount Sinai School of Medicine |
| Optogenetic analysis of circuits for vocal recognition | \$156,000 | Q2.Other | Duke University |
| Open label risperidone in children and adolescents with autistic disorder | \$244 | Q4.L.C | Mount Sinai School of Medicine |
| Olivocerebellar circuitry in autism | \$756,843 | Q3.Other | Boston University Medical Campus |
| Olfactory abnormalities in the modeling of Rett syndrome | \$358,750 | Q2.S.D | Johns Hopkins University |
| Office of the Scientific Director | \$4,040,811 | Other | National Institutes of Health (NIH) |
| Novel pharmacological strategies in autism | \$305,254 | Q4.S.F | Indiana University-Purdue University Indianapolis |
| Novel genetic animal models of autism | \$274,750 | Q4.S.B | University of Texas Southwestern Medical Center |
| Novel, subtype selective potentiators of nicotinic acetylcholine receptors | \$335,231 | Other | University of Alaska Fairbanks |
| Nonlinguistic vocalizations in autism: Acoustic cry analysis in early infancy | \$74,200 | Q1.L.A | Women and Infants Hospital of Rhode Island |
| Neurological diseases due to inborn errors of metabolism | \$17,838 | Q2.S.E | University of Texas Southwestern Medical Center |

| Project Title | Funding | Strategic Plan Objective | Institution |
|----------------------------------------------------------------------------------------------|-------------|--------------------------|-------------------------------------------------|
| Neurexins regulation of central GABAergic synapses | \$78,000 | Q2.S.D | Duke University |
| Neurexins function in vivo: Implications for autism and mental retardation | \$392,500 | Q2.S.G | University of Texas Southwestern Medical Center |
| Neuroimmunologic investigations of autism spectrum disorders (ASD) | \$348,146 | Q2.S.A | National Institutes of Health (NIH) |
| Neuroimaging of top-down control and bottom-up processes in childhood ASD | \$403,739 | Q2.Other | Georgetown University |
| Neuroimaging of autism spectrum disorders | \$6,798 | Q2.L.B | University of California, Los Angeles |
| Neuroimaging and symptom domains in autism | \$6,798 | Q2.L.B | University of California, Los Angeles |
| Neurogenetics in a model for procedural learning | \$31,848 | Q4.S.B | University of California, Los Angeles |
| Neurogenetics of candidate systems in autism (supplement) | \$23,730 | Q3.L.B | Duke University |
| Neurogenetic model of social behavior heterogeneity in autism spectrum disorders | \$821,227 | Q4.S.B | Duke University |
| Neurodevelopmental mechanisms of social behavior | \$607,379 | Q2.Other | University of Southern California |
| Neurobiology of sociability in a mouse model system relevant to autism (supplement) | \$175,927 | Q4.S.B | University of Pennsylvania |
| Neurobiology of sociability in a mouse model system relevant to autism | \$354,375 | Q4.S.B | University of Pennsylvania |
| Neurobiology of affective prosody perception in autism | \$190,000 | Q2.Other | Washington University in St. Louis |
| Neurobiological mechanism of 15q11-13 duplication autism spectrum disorder | \$303,625 | Q4.S.B | Beth Israel Deaconess Medical Center |
| Neurobiological correlates of language dysfunction in autism spectrum disorders (supplement) | \$8,688 | Q2.Other | Alexian Brothers Medical Center |
| Neurobiological correlates of language dysfunction in autism spectrum disorders | \$404,389 | Q2.Other | Alexian Brothers Medical Center |
| Neurobehavioral research on infants at risk for SLI and autism | \$710,348 | Q1.S.B | Boston University Medical Campus |
| Neural substrate of language and social cognition: Autism and typical development | \$47,210 | Q2.Other | Massachusetts Institute of Technology |
| Neural mechanisms underlying obsessive compulsiveness in ASD | \$32,236 | Q1.L.B | University of Michigan |
| Neural mechanisms of social cognition and bonding | \$43,907 | Q4.S.B | Emory University |
| Neural mechanisms of attentional networks in autism | \$490 | Q2.Other | Mount Sinai School of Medicine |
| Neural dissection of hyperactivity/inattention in autism | \$1,179,863 | Q2.S.E | New York University School of Medicine |
| Neural correlates of eye gaze processing in fragile X syndrome and autism spectrum disorders | \$78,000 | Q1.Other | University of Washington |
| Neural circuitry of social cognition in the broad autism phenotype | \$562,311 | Q2.S.G | University of North Carolina at Chapel Hill |

| Project Title | Funding | Strategic Plan Objective | Institution |
|-----------------------------------------------------------------------------------|-------------|--------------------------|------------------------------------------------------|
| Neural basis for the production and perception of prosody | \$81,500 | Q2.Other | University of Southern California |
| Neural and phenotypic correlates of autism risk genes | \$545,057 | Q3.S.A | University of California, Los Angeles |
| Neural and behavioral outcomes of social skills groups in children with ASD | \$287,798 | Q4.S.F | Mount Sinai School of Medicine |
| Neocortical regionalization: Analysis of genetic and epigenetic influences | \$75,000 | Q2.Other | University of California, Riverside |
| Neocortical mechanisms of categorical speech perception | \$132,214 | Q1.L.C | University of California, San Francisco |
| National Database on Autism Research (NDAR) | \$1,442,000 | Q7.H | Center for Information Technology |
| Murine genetic models of autism | \$172,390 | Q2.Other | Vanderbilt University |
| Multisensory integration of faces and voices in the primate temporal lobe | \$335,983 | Q2.Other | Princeton University |
| Multisensory integration and temporal synchrony in autism | \$34,176 | Q2.Other | University of Rochester |
| Multiple social tasks and social adjustment | \$144,875 | Q1.L.B | California State University, Northridge |
| Multimodal studies of executive function deficits in autism spectrum disorders | \$48,954 | Q1.L.B | Massachusetts General Hospital |
| Multimodal neuroimaging of white matter in autism | \$472,805 | Q2.S.G | Massachusetts General Hospital |
| Multimodal brain imaging in autism spectrum disorders | \$165,397 | Q2.Other | University of Washington |
| Multimodal analyses of face processing in autism and Down syndrome | \$155,270 | Q1.Other | University of Massachusetts Medical School |
| MRI system for neuroimaging typical and atypical cognitive and social development | \$2,000,000 | Q2.Other | Carnegie Mellon University |
| MRI studies of cognition and sensorimotor integration | \$7,770 | Q2.Other | Georgetown University |
| MRI measures of neural connectivity in Asperger's disorder | \$208,337 | Q2.Other | University of Michigan |
| Mouse models of the neuropathology of tuberous sclerosis complex | \$258,344 | Q2.S.D | University of Texas Health Science Center at Houston |
| Motor skill learning in autism | \$332,646 | Q2.Other | Kennedy Krieger Institute |
| Motivation, self-monitoring, and family process in autism | \$304,247 | Q2.Other | University of Miami |
| Morphogenesis and function of the cerebral cortex | \$399,013 | Q2.Other | Yale University |
| Molecular mechanisms regulating synaptic strength (supplement) | \$32,258 | Q2.Other | Washington University in St. Louis |
| Molecular mechanisms regulating synaptic strength | \$299,250 | Q2.Other | Washington University in St. Louis |
| Molecular determinants of L-type calcium channel gating | \$402,500 | Q4.S.B | Columbia University |
| Molecular components of A-type K ⁺ channels | \$352,538 | Q2.S.E | New York University School of Medicine |
| Molecular and genetic epidemiology of autism | \$1,211,372 | Q3.L.B | University of Miami Miller School of Medicine |

| Project Title | Funding | Strategic Plan Objective | Institution |
|--------------------------------------------------------------------------------------------|-----------|--------------------------|-------------------------------------------------|
| Molecular Analysis Core (supplement) | \$17,853 | Q3.L.B | Duke University |
| Metabolic biomarkers of autism: Predictive potential and genetic susceptibility | \$380,150 | Q1.L.A | Arkansas Children's Hospital Research Institute |
| Memory for visual material | \$208,711 | Other | University of Washington |
| Melatonin for sleep in children with autism: Safety, tolerability, and dosing (supplement) | \$140,616 | Q4.S.A | Vanderbilt University Medical Center |
| Melatonin for sleep in children with autism: Safety, tolerability, and dosing | \$345,401 | Q4.S.A | Vanderbilt University |
| Mechanisms for 5-HTT control of PPI and perseverative behavior using mouse models | \$345,375 | Q2.S.G | University of Chicago |
| Measuring quality adjusted life years in children with autism spectrum disorders | \$441,724 | Q1.L.C | Arkansas Children's Hospital Research Institute |
| Maternal inflammation alters fetal brain development via tumor necrosis factor-alpha | \$12,928 | Q2.S.A | Stanford University |
| Maternal immune activation, cytokines, and the pathogenesis of autism | \$378,570 | Q3.L.C | University of California, Davis |
| Magnetic source imaging and sensory behavioral characterization in autism | \$176,201 | Q1.L.B | University of California, San Francisco |
| Longitudinal studies of autism spectrum disorders: 2 to 23 | \$492,935 | Q6.L.B | University of Michigan |
| Longitudinal neurodevelopment of auditory and language cortex in autism | \$27,318 | Q2.Other | University of Utah |
| Linking local activity and functional connectivity in autism | \$388,825 | Q2.Other | San Diego State University |
| Linking data sources from the Autism Genetic Resource Exchange (AGRE) with NDAR | \$490,996 | Q7.H | Autism Speaks (AS) |
| Large-scale discovery of scientific hypotheses; Computation over expert opinions | \$603,044 | Q3.Other | University of Chicago |
| Language functioning in optimal outcome children with a history of autism | \$457,153 | Q2.L.B | University of Connecticut |
| Language development and outcome in children with autism (supplement) | \$299,918 | Q1.L.A | University of Connecticut |
| Language development and outcome in children with autism | \$325,125 | Q1.L.A | University of Connecticut |
| Language and social communication in autism | \$6,798 | Q2.L.B | University of California, Los Angeles |
| Language and social communication in autism | \$3,406 | Q2.L.B | University of California, Los Angeles |
| JobTips: An employment preparation program for adolescents and young adults with ASD | \$499,965 | Q6.L.A | Virtual Reality Aids, Inc. |
| Isolation of autism susceptibility genes | \$593,350 | Q3.L.B | deCODE Genetics, Inc. |
| Investigation of DUF1220 domains in human brain function and disease | \$367,008 | Q3.Other | University of Colorado Denver |

| Project Title | Funding | Strategic Plan Objective | Institution |
|-------------------------------------------------------------------------------------|-------------|--------------------------|---------------------------------------------------------------------------------------|
| Investigating gene-environment interaction in autism: Air pollution X Genetics | \$297,117 | Q3.S.F | University of Southern California |
| Intranasal oxytocin in the treatment of autism | \$2,202 | Q4.L.A | Mount Sinai School of Medicine |
| Interstate variation in healthcare utilization among children with ASD (supplement) | \$171,947 | Q5.Other | University of Pennsylvania |
| Interstate variation in healthcare utilization among children with ASD | \$547,471 | Q5.Other | University of Pennsylvania |
| International Mental Health/Developmental Disabilities Research Training Program | \$188,000 | Other | Children's Hospital Boston |
| International Meeting for Autism Research (IMFAR) | \$48,550 | Q7.K | University of California, Davis |
| Interdisciplinary training for autism researchers | \$342,831 | Q7.K | University of California, Davis |
| Interdisciplinary training conference in developmental disabilities | \$20,000 | Q7.K | University of Wisconsin - Madison |
| Interdisciplinary investigation of biological signatures of autism subtypes | \$1,429,402 | Q2.L.A | University of California, Davis |
| Integrative functions of the planum temporale | \$452,524 | Q2.Other | University of California, Irvine |
| Integrated function/structure image analysis in autism | \$339,441 | Q1.L.B | Yale University |
| Initial investigation of prevention of ASD in infants at risk | \$263,510 | Q4.Other | University of California, Davis |
| Infants at risk of autism: A longitudinal study (supplement) | \$1,022,289 | Q1.L.A | University of California, Davis |
| Infants at risk of autism: A longitudinal study | \$583,831 | Q1.L.A | University of California, Davis |
| Improving and streamlining screening and diagnosis of ASD at 18-24 months of age | \$971,606 | Q1.S.B | Florida State University |
| Improving accuracy and accessibility of early autism screening | \$318,946 | Q1.S.A | Total Child Health, Inc. |
| Impacts of parenting adolescents & adults with autism | \$496,331 | Q2.L.A | University of Wisconsin - Madison |
| Imaging signal transduction in single dendritic spines | \$390,000 | Q2.Other | Duke University |
| Imaging brain and movement in ASD | \$270,296 | Q2.Other | University of California, San Diego |
| Identifying brain-based biomarkers for ASD & their biological subtypes | \$1,206,925 | Q2.Other | New York State Psychiatric Institute |
| Identifying autism susceptibility genes by high-throughput chip resequencing | \$447,043 | Q3.L.B | Emory University |
| Identification and functional assessment of autism susceptibility genes | \$486,498 | Q3.L.B | University of Medicine & Dentistry of New Jersey - Robert Wood Johnson Medical School |
| Identification and functional assessment of autism susceptibility genes | \$478,257 | Q3.L.B | Rutgers, The State University of New Jersey - New Brunswick |
| Identification and functional assessment of autism susceptibility genes | \$262,704 | Q3.L.B | The Research Institute at Nationwide Children's Hospital |
| | | | |

| Project Title | Funding | Strategic Plan Objective | Institution |
|--------------------------------------------------------------------------------------------------|-------------|--------------------------|----------------------------------------------|
| Human autism genetics and activity-dependent gene activation | \$2,474,114 | Q3.S.A | Children's Hospital Boston |
| High-resolution diffusion tensor imaging in mouse models relevant to autism | \$253,735 | Q2.Other | University of Pennsylvania |
| High content screens of neuronal development for autism research | \$207,931 | Q2.S.D | University of California, San Diego |
| Guiding visual attention to enhance discrimination learning | \$145,437 | Q4.Other | University of Massachusetts Medical School |
| Growth and maturation in children with autism | \$57,383 | Q1.L.B | National Institutes of Health (NIH) |
| Gross morphological correlates to the minicolumnopathy of autism | \$287,554 | Q2.Other | University of Louisville |
| Greater New York Autism Center of Excellence - Clinical Core | \$1,224 | Q2.Other | Mount Sinai School of Medicine |
| Global solutions in research and clinical practice in communication sciences and disorders (CSD) | \$30,000 | Other | American Speech-Language-Hearing Association |
| Genotype-phenotype relationships in fragile X families | \$541,900 | Q3.Other | University of California, Davis |
| Genomic profiling and functional mutation analysis in autism spectrum disorders | \$1,183,908 | Q3.S.A | Yale University |
| Genomic identification of autism loci | \$1,139,256 | Q1.S.B | University of Washington |
| Genome-wide environment interaction study for autism: The SEED study | \$723,953 | Q3.S.C | Johns Hopkins University |
| Genetic study of restricted repetitive behavior in autism spectrum disorders | \$72,856 | Q3.S.A | University of Florida |
| Genetic studies in autism on chromosome 7 (supplement) | \$17,887 | Q3.L.B | Duke University |
| Genetics of autism intermediate phenotypes | \$448,943 | Q3.L.B | University of Utah |
| Genetics and physiology of social anxiety in fragile X | \$160,398 | Q2.S.D | University of California, Davis |
| Genetic investigation of cognitive development in autistic spectrum disorders | \$184,248 | Q3.L.B | Brown University |
| Genetic epidemiology of autism spectrum disorders | \$178,175 | Q3.Other | Yale University |
| Genetic dissection of restricted repetitive behavior (RRB) | \$8,291 | Q3.L.B | University of Florida |
| Genetic dissection of restricted repetitive behavior (RRB) | \$180,254 | Q3.Other | University of Florida |
| Genetic and developmental analyses of fragile X syndrome | \$532,205 | Q2.S.D | Vanderbilt University |
| Gene silencing in fragile X syndrome | \$312,908 | Q2.S.D | National Institutes of Health (NIH) |
| Genes disrupted by balanced genomic rearrangements in autism spectrum disorders | \$309,604 | Q3.L.B | Massachusetts General Hospital |
| Gene expression and immune cell function in mothers of children with autism | \$267,750 | Q3.L.C | University of California, Davis |
| | | | |

| Project Title | Funding | Strategic Plan Objective | Institution |
|----------------------------------------------------------------------------------------------------|-------------|--------------------------|---------------------------------------------|
| GABAergic dysfunction in autism (supplement) | \$63,950 | Q2.Other | University of Minnesota |
| GABAergic dysfunction in autism | \$294,344 | Q2.Other | University of Minnesota |
| GABA(A) receptor modulation via the beta subunit | \$228,787 | Other | Emory University |
| Fundamental mechanisms of GPR56 activation and regulation | \$135,625 | Q2.S.D | Emory University |
| Function and structure adaptations in forebrain development | \$568,834 | Q2.Other | University of Southern California |
| Functional neuroimaging of psychopharmacologic intervention for autism | \$155,901 | Q2.L.B | University of North Carolina at Chapel Hill |
| Functional neuroanatomy of developmental changes in face processing (supplement) | \$7,712 | Q2.Other | University of Kentucky |
| Functional neuroanatomy of developmental changes in face processing | \$302,360 | Q2.Other | University of Kentucky |
| Functional MRI of attention regulation in people with and without autism | \$3,452 | Q2.L.A | Georgetown University |
| Functional anatomy of face processing in the primate brain | \$1,678,309 | Q2.Other | National Institutes of Health (NIH) |
| Fraternal birth order effects on behavior | \$171,000 | Q3.Other | Michigan State University |
| Folate rechallenge: A pilot study | \$10,961 | Q4.S.C | Baylor College of Medicine |
| fMRI study of self-produced tactile stimulation in autistic adolescents | \$244 | Q2.Other | Mount Sinai School of Medicine |
| fMRI studies of neural dysfunction in autistic toddlers | \$614,468 | Q2.Other | University of California, San Diego |
| Finding autism genes by genomic copy number analysis | \$574,507 | Q3.L.B | Children's Hospital Boston |
| Face processing and brain function associated with autistic symptoms in fragile X | \$73,500 | Q2.S.D | University of Wisconsin - Madison |
| Eyeblink in children and adolescents with autism spectrum disorders: A pilot study | \$229,500 | Q1.Other | Drexel University |
| Expressive crossmodal affect integration in autism | \$230,998 | Q1.Other | Oregon Health and Science University |
| Expressive and receptive prosody in autism | \$559,970 | Q1.Other | Oregon Health and Science University |
| Exploring the neuronal phenotype of autism spectrum disorders using induced pluripotent stem cells | \$258,420 | Q2.S.G | Stanford University |
| Evaluation of sensory integration treatment in ASD | \$336,344 | Q4.S.C | Vanderbilt University |
| Evaluation and treatment of copper/zinc imbalance in children with autism | \$7,395 | Q2.S.A | Penn State Milton S. Hershey Medical Center |
| Ethics of communicating scientific findings on autism risk | \$25,000 | Q7.E | Drexel University |
| Epigenetic marks as peripheral biomarkers of autism | \$2,198,844 | Q3.S.C | Emory University |
| Epigenetic interaction of MECP2 and organic pollutants in neurodevelopment (supplement) | \$67,208 | Q3.Other | University of California, Davis |
| | | | |

| Project Title | Funding | Strategic Plan Objective | Institution |
|-------------------------------------------------------------------------------------------------|-------------|--------------------------|------------------------------------------------------|
| Epigenetic interaction of MECP2 and organic pollutants in neurodevelopment | \$432,523 | Q3.Other | University of California, Davis |
| Epigenetic etiologies of autism spectrum disorders | \$344,947 | Q3.L.B | University of California, Davis |
| Epidemiological research on autism in Jamaica | \$146,500 | Q3.L.D | University of Texas Health Science Center at Houston |
| Environment, the perinatal epigenome, and risk for autism and related disorders | \$1,509,000 | Q3.S.C | Johns Hopkins University |
| Engrailed genes and cerebellum morphology, spatial gene expression and circuitry | \$474,750 | Q2.Other | Memorial Sloan-Kettering Cancer Center |
| Engrailed and the control of synaptic circuitry in Drosophila | \$112,500 | Q2.Other | University of Puerto Rico Medical Sciences Campus |
| Emotion-modulated psychophysiology of autism spectrum disorders | \$258,981 | Q1.Other | University of North Carolina at Chapel Hill |
| Emotional mimicry in children with autism | \$48,647 | Q1.L.B | University of Colorado Denver |
| Emotion, communication, & EEG: Development & risk | \$298,154 | Q1.L.B | University of Miami |
| Elucidation of the developmental role of JAKMIP1, an autism-susceptibility gene | \$30,418 | Q2.S.D | University of California, Los Angeles |
| Elucidating the roles of SHANK3 and FXR in the autism interactome | \$403,492 | Q2.S.D | Baylor College of Medicine |
| Electrophysiological signatures of language impairment in autism spectrum disorder (supplement) | \$149,432 | Q1.L.B | Children's Hospital of Philadelphia |
| Electrophysiological signatures of language impairment in autism spectrum disorder | \$347,590 | Q1.L.B | Children's Hospital of Philadelphia |
| Early social communication characteristics of ASD in diverse cultures in the US and Africa | \$238,233 | Q1.S.B | Florida State University |
| Early language development within the autism spectrum | \$505,018 | Q1.Other | University of Wisconsin - Madison |
| Early identification of autism: A prospective study | \$566,827 | Q1.L.A | University of Pittsburgh |
| Early detection of pervasive developmental disorders (supplement) | \$193,155 | Q1.S.A | University of Connecticut |
| Early detection of pervasive developmental disorders | \$1,067,234 | Q1.S.A | University of Connecticut |
| Early detection of autism through acoustic analysis of cry | \$257,066 | Q1.Other | Women and Infants Hospital of Rhode Island |
| Dynamic regulation of Shank3 and ASD | \$300,000 | Q4.S.B | Johns Hopkins University |
| Distinct function of the neuroligin 3 postsynaptic adhesion complex | \$37,784 | Q2.Other | Columbia University |
| Disseminating scientific information on autism to the Latino community | \$500,000 | Q7.Other | University of Southern California |
| Dissecting the neural control of social attachment | \$772,500 | Q4.S.B | University of California, San Francisco |
| Development of ventral stream organization | \$131,870 | Q2.L.B | University of Pittsburgh |
| Development of the functional neural systems for face expertise | \$524,017 | Q2.Other | University of California, San Diego |

| Project Title | Funding | Strategic Plan Objective | Institution |
|-----------------------------------------------------------------------------------------------|-------------|--------------------------|----------------------------------------------------------------|
| Development of neural pathways in infants at risk for autism spectrum disorders | \$328,313 | Q1.L.A | University of California, San Diego |
| Development of mGluR5 antagonists to treat fragile X syndrome and autism | \$1,048,100 | Q4.Other | Seaside Therapeutics, LLC |
| Development of intermodal perception of social events: Infancy to childhood | \$332,204 | Q1.Other | Florida International University |
| Development of genomic resources for prairie voles | \$158,400 | Q4.S.B | Emory University |
| Development of face perception and recognition (supplement) | \$68,253 | Q1.Other | Stanford University |
| Development of a brief screener for research in autism spectrum disorders | \$498,777 | Q1.S.A | University of Michigan |
| Developmental processes, trajectories, and outcomes in autism | \$286,887 | Q1.Other | Yale University |
| Developing a community-based ASD research registry | \$500,000 | Q7.Other | University of Pennsylvania/Children's Hospital of Philadelphia |
| Determining the genetic basis of autism by high-resolution analysis of copy number | \$351,639 | Q3.L.B | Cold Spring Harbor Laboratory |
| Design & synthesis of novel CNS-active oxytocin and vasopressin receptor ligands | \$584,206 | Q4.Other | Scripps Research Institute |
| Dense mapping of candidate regions linked to autistic disorder | \$5,028 | Q3.L.B | Feinstein Institute for Medical Research |
| Deep sequencing of autism candidate genes in 2000 families from the Simons Simplex Collection | \$1,384,503 | Q3.L.B | Cold Spring Harbor Laboratory |
| CRCNS: Ontology-based multi-scale integration of the autism phenome | \$345,180 | Q7.C | Stanford University |
| CPEA Data Coordinating Center (supplement) | \$82,081 | Other | DM-STAT, Inc. |
| Cortical complexity in children with autism, unaffected siblings, and controls | \$79,000 | Q2.Other | Stanford University |
| Cortical circuit changes and mechanisms in a mouse model of fragile X syndrome (supplement) | \$47,848 | Q2.S.D | University of Texas Southwestern Medical Center |
| Cortical circuit changes and mechanisms in a mouse model of fragile X syndrome | \$293,198 | Q2.S.D | University of Texas Southwestern Medical Center |
| Core--Genomics/Bioinformatics--Alzheimer's disease and autism | \$136,335 | Q3.L.B | Columbia University |
| Core E: Statistical Analysis Core | \$15,567 | Q3.Other | University of California, Davis |
| Core E: Participant Recruitment & Assessment Services (supplement) | \$25,956 | Other | Vanderbilt University |
| Core E: Participant Recruitment & Assessment Services | \$281,311 | Other | Vanderbilt University |
| Core D: Molecular Genomics Core | \$57,649 | Q3.Other | University of California, Davis |
| Core C: Analytical Core | \$97,270 | Q3.Other | University of California, Davis |

| Project Title | Funding | Strategic Plan Objective | Institution |
|----------------------------------------------------------------------------------------------------------|-------------|--------------------------|---------------------------------------------|
| Core B: Outreach and Translation | \$84,728 | Q3.Other | University of California, Davis |
| Core A: Administrative Services (supplement) | \$22,897 | Other | Vanderbilt University |
| Core A: Administrative Services | \$248,162 | Other | Vanderbilt University |
| Conventional vs. mindfulness intervention in parents of children with disabilities | \$498,782 | Q5.Other | Vanderbilt University |
| Connectivity of anterior cingulate cortex networks in autism | \$265,044 | Q2.Other | New York University School of Medicine |
| Computer adaptive testing of adaptive behavior of children and youth with autism | \$284,375 | Q1.S.A | Boston University |
| Computational tools to analyze SNP data from patients with mental illness | \$243,011 | Q3.L.B | Partek, Inc. |
| Comprehensive collection, charting, and communication system | \$249,940 | Other | Symtrend, Inc. |
| Communication success and AAC: A model of symbol acquisition (supplement) | \$174,060 | Q4.S.C | University of Kansas |
| Communication success and AAC: A model of symbol acquisition | \$347,412 | Q4.S.C | University of Kansas |
| Cold Spring Harbor Laboratory faculty recruitment in developmental neurobiology | \$719,000 | Q7.K | Cold Spring Harbor Laboratory |
| Coherence and temporal dynamics in auditory cortex of children with autism | \$88,292 | Q2.Other | Massachusetts General Hospital |
| Cognitive mechanisms of serially organized behavior | \$306,785 | Other | Columbia University |
| Cognitive control in autism | \$146,960 | Q2.Other | University of California, Davis |
| CNTNAP2 in a behavioral model of autism | \$265,450 | Q4.S.B | University of California, Los Angeles |
| Clinical correlations of contiguous gene syndromes | \$21,923 | Q2.S.D | Baylor College of Medicine |
| Clinical and Bioinformatics Core (supplement) | \$39,796 | Q3.L.B | Duke University |
| Clinical and behavioral phenotyping of autism and related disorders | \$2,416,235 | Q1.L.B | National Institutes of Health (NIH) |
| Chromatin alterations in Rett syndrome | \$271,798 | Q2.S.D | University of Massachusetts Medical School |
| Child-initiated communicative interactions and autism intervention | \$322,692 | Q1.L.B | University of California, Santa Barbara |
| Chemosensory processing in chemical communication | \$287,963 | Q2.Other | Florida State University |
| Characterization of the transcriptome in an emerging model for social behavior | \$426,250 | Q4.S.B | Emory University |
| Characterization of the mirror neuron system in 3-9 month old infants using the BabySQUID imaging system | \$4,748 | Q2.Other | University of New Mexico |
| Characterization of a novel mouse model of restricted repetitive behaviors | \$184,844 | Q4.S.B | University of North Carolina at Chapel Hill |
| Cerebral asymmetry and language in autism | \$6,798 | Q2.L.B | University of California, Los Angeles |

| Project Title | Funding | Strategic Plan Objective | Institution |
|--------------------------------------------------------------------------------------|-------------|--------------------------|-------------------------------------------------------------|
| Cerebellar modulation of frontal cortical function | \$347,643 | Q2.Other | University of Memphis |
| Cerebellar anatomic and functional connectivity in autism spectrum disorders | \$251,419 | Q2.Other | University of Texas at Austin |
| Central vasopressin receptors and affiliation | \$363,959 | Q4.S.B | Emory University |
| Central vasopressin receptors and affiliation | \$32,902 | Q4.S.B | Emory University |
| Center for Genomic and Phenomic Studies in Autism | \$1,482,665 | Q3.L.B | University of Southern California |
| Cellular structure of the amygdala in autism | \$45,218 | Q1.L.B | University of California, Davis |
| Cellular and genetic correlates of increased head size in autism spectrum disorder | \$203,943 | Q2.S.G | Yale University |
| Cell type-based genomics of developmental plasticity in cortical GABA interneurons | \$252,000 | Q2.S.D | Cold Spring Harbor Laboratory |
| Cell-based genomic analysis in mouse models of Rett syndrome | \$498,790 | Q2.S.D | Cold Spring Harbor Laboratory |
| Caring for caregivers: Supporting caregivers of people with autism spectrum disorder | \$330,752 | Q5.S.B | Danya International, Inc. |
| Building a selective inhibitory control tone in autism: An rTMS study | \$222,000 | Q4.Other | University of Louisville |
| BrainVision BrainAmp MR plus | \$120,670 | Q1.S.A | Mount Sinai School of Medicine |
| Brain glutamate concentrations in autistic adolescents by MRS | \$1,224 | Q3.S.E | Mount Sinai School of Medicine |
| Biological correlates of altered brain growth in autism | \$1,011,793 | Q3.S.A | Yale University |
| Behavioral treatment for autism in community settings using a telehealth network | \$374,649 | Q5.L.A | University of Iowa |
| Behavioral pilot for an imaging study of social attention deficits in autism | \$205,200 | Q2.Other | Washington University in St. Louis |
| Behavioral Measurement Core | \$512,058 | Other | University of North Carolina at Chapel Hill |
| Behavioral intervention in autism: Practitioner skills | \$527,107 | Q5.L.A | Praxis, Inc. |
| Behavioral and sensory evaluation of auditory discrimination in autism | \$150,220 | Q2.Other | University of Massachusetts Medical School |
| Behavioral and neural processing of faces and expressions in nonhuman primates | \$432,400 | Q4.S.B | Emory University |
| Behavioral and genetic biomarker development for autism and related disorders | \$499,543 | Q3.L.B | Rutgers, The State University of New Jersey - New Brunswick |
| Behavioral, physiological & neuroanatomical consequences of maternal separation | \$43,907 | Q4.S.B | Emory University |
| BDNF and the restoration of spine plasticity with autism spectrum disorders | \$571,019 | Q2.S.D | University of California, Irvine |
| Basal ganglia circuitry and molecules in pathogenesis of motor stereotypy | \$419,799 | Q3.L.B | University of California, Los Angeles |
| | | | |

| Project Title | Funding | Strategic Plan Objective | Institution |
|-------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------|-----------------------------------------|
| Autistic traits: Life course & genetic structure | \$573,470 | Q1.Other | Washington University in St. Louis |
| Autistic endophenotypes and their associations to oxytocin and cholesterol | \$84,055 | Q2.Other | Mount Sinai School of Medicine |
| Autism-specific mutation in DACT1: Impact on brain development in a mouse model | \$193,125 | Q2.S.G | University of California, San Francisco |
| Autism Research Program | \$688,500 | Q7.K | University of Southern California |
| Autism iPSCs for studying function and dysfunction in human neural development | \$317,520 | Q2.S.D | Scripps Research Institute |
| Autism in urban context: Linking heterogeneity with health and service disparities | \$634,898 | Q5.L.A | University of Southern California |
| Autism in the second half of the lifespan: Behavior, daily living, service needs | \$270,312 | Q5.Other | University of California, San Diego |
| Autism in a fish eating population | \$172,491 | Q3.S.F | University of Rochester |
| Autism Genome Project | \$4,894 | Q3.L.B | Mount Sinai School of Medicine |
| Autism and the development of relational awareness | \$618,557 | Q4.Other | University of British Columbia |
| Autism: The neural substrates of language in siblings | \$56,140 | Q2.S.G | Boston University Medical Campus |
| Autism: Social and communication predictors in siblings | \$751,256 | Q1.L.B | Kennedy Krieger Institute |
| Autism: Role of oxytocin | \$6,505 | Q2.S.A | University of Kansas Medical Center |
| Autism: Neuropeptide hormones and potential pathway genes | \$185,897 | Q2.S.G | University of Illinois at Chicago |
| Augmentation of the cholinergic system in fragile X syndrome: A double-blind placebo-controlled randomized study of donepezil | \$240,000 | Q2.S.D | Stanford University |
| Atypical late neurodevelopment in autism: A longitudinal MRI and DTI study | \$503,378 | Q2.Other | University of Utah |
| A systems biology approach to unravel the underlying functional modules of ASD | \$663,063 | Q3.S.A | University of California, San Diego |
| A systematic test of the relation of ASD heterogeneity to synaptic function | \$898,037 | Q2.S.G | Stanford University |
| Asperger's syndrome: Diagnosis, interpretation and impact | \$34,360 | Q1.L.C | University of Chicago |
| A sex-specific dissection of autism genetics | \$270,375 | Q2.S.B | University of California, San Francisco |
| A randomized trial of the STAR program for children with autism spectrum disorder | \$651,214 | Q5.L.A | University of Pennsylvania |
| A randomized control study of relationship focused intervention with young children with ASD | \$274,750 | Q4.S.F | Case Western Reserve University |
| Anterior cingulate and fronto-insular related brain networks in autism | \$194,745 | Q2.Other | Mount Sinai School of Medicine |
| An open resource for autism iPSCs and their derivatives | \$617,911 | Q2.S.C | Children's Hospital of Orange County |
| | | | |

| Project Title | Funding | Strategic Plan Objective | Institution |
|----------------------------------------------------------------------------------------|-------------|--------------------------|---------------------------------------------------------------------------------------|
| A non-human primate autism model based on maternal immune activation | \$106,670 | Q4.S.B | University of California, Davis |
| An investigation of neuropsychological endophenotypes in autism and fragile X | \$73,938 | Q2.S.D | University of North Carolina at Chapel Hill |
| Animal models of neuropsychiatric disorders | \$1,835,912 | Q4.S.B | National Institutes of Health (NIH) |
| A neuroimaging study of twin pairs with autism | \$626,552 | Q2.S.G | Stanford University |
| Anatomy of primate amygdaloid complex | \$106,669 | Q2.Other | University of California, Davis |
| Analyses of brain structure and connectivity in young children with autism | \$90,000 | Q1.L.B | University of California, Davis |
| Amygdala structure and biochemistry in adolescents with autism | \$27,618 | Q1.L.B | University of Wisconsin - Madison |
| A mouse knock-in model for ENGRAILED 2 autism susceptibility | \$152,667 | Q4.S.B | University of Medicine & Dentistry of New Jersey - Robert Wood Johnson Medical School |
| A molecular genetic study of autism and related phenotypes in extended pedigrees | \$483,824 | Q3.L.B | University of North Carolina at Chapel Hill |
| A model for inclusion of minorities in genetic research (supplement) | \$32,846 | Q3.S.D | University of Southern California |
| A model for inclusion of minorities in genetic research | \$40,981 | Q3.S.D | University of Southern California |
| A model for inclusion of minorities in genetic research | \$30,000 | Q3.S.D | Fiesta Educativa, Inc. |
| A model-based investigation of face processing in autism | \$12,950 | Q2.Other | Georgetown University |
| A mitochondrial etiology of autism | \$597,884 | Q2.S.A | University of California, Irvine |
| A longitudinal MRI study of brain development in fragile X syndrome | \$622,099 | Q2.S.D | University of North Carolina at Chapel Hill |
| A longitudinal 3-D MRSI study of infants at high risk for autism | \$225,553 | Q1.L.A | University of Washington |
| Allosteric potentiators of the oxytocin system for the control of social motivation | \$25,000 | Q3.Other | University of North Carolina at Chapel Hill |
| Administrative Core | \$512,062 | Other | University of North Carolina at Chapel Hill |
| ADHD symptoms in autism: Cognition, behavior, treatment | \$271,086 | Q4.L.C | University of Texas Health Science Center at Houston |
| Adapting cognitive enhancement therapy for ASD | \$194,096 | Q4.Other | University of Pittsburgh |
| A comparative developmental connectivity study of face processing | \$267,046 | Q4.S.B | University of Kentucky |
| A cognitive-behavioral intervention for children with autism spectrum disorders | \$134,668 | Q4.Other | Virginia Polytechnic Institute and State University |
| ACE Network: Early pharmacotherapy guided by biomarkers in autism | \$100,000 | Q4.S.F | Wayne State University |
| ACE Network: Early Autism Risk Longitudinal Investigation (EARLI) network (supplement) | \$1,111,301 | Q3.L.A | Drexel University |

| Project Title | Funding | Strategic Plan Objective | Institution |
|------------------------------------------------------------------------------------------------------------|-------------|--------------------------|---------------------------------------------|
| ACE Network: Early Autism Risk Longitudinal Investigation (EARLI) network | \$2,629,511 | Q3.L.A | Drexel University |
| ACE Network: A multi-site randomized study of intensive treatment for toddlers with autism | \$2,968,118 | Q4.S.D | University of California, Davis |
| ACE Network: A longitudinal MRI study of infants at risk for autism | \$3,317,464 | Q1.L.A | University of North Carolina at Chapel Hill |
| ACE Network: A comprehensive approach to identification of autism susceptibility genes | \$2,895,517 | Q3.L.B | University of California, Los Angeles |
| ACE Center: Understanding repetitive behavior in autism (supplement) | \$55,094 | Q4.L.A | University of California, Los Angeles |
| ACE Center: Understanding repetitive behavior in autism | \$330,198 | Q4.L.A | University of California, Los Angeles |
| ACE Center: The pharmacogenetics of treatment for insistence on sameness in autism | \$377,577 | Q4.L.A | University of Illinois at Chicago |
| ACE Center: The Imaging Core (supplement) | \$54,458 | Q2.Other | University of California, Los Angeles |
| ACE Center: The Imaging Core | \$326,381 | Q2.Other | University of California, Los Angeles |
| ACE Center: The Diagnostic and Assessment Core (supplement) | \$51,580 | Q1.Other | University of California, Los Angeles |
| ACE Center: The Diagnostic and Assessment Core | \$309,135 | Q1.Other | University of California, Los Angeles |
| ACE Center: The development of the siblings of children with autism: A longitudinal study (supplement) | \$55,372 | Q1.Other | University of California, Los Angeles |
| ACE Center: The development of the siblings of children with autism: A longitudinal study | \$331,863 | Q1.Other | University of California, Los Angeles |
| ACE Center: Targeting genetic pathways for brain overgrowth in autism spectrum disorders | \$371,478 | Q3.Other | University of California, San Diego |
| ACE Center: Systems connectivity + brain activation: Imaging studies of language + perception (supplement) | \$94,022 | Q2.Other | University of Pittsburgh |
| ACE Center: Systems connectivity + brain activation: Imaging studies of language + perception | \$444,021 | Q2.Other | University of Pittsburgh |
| ACE Center: Subject Assessment and Recruitment Core (supplement) | \$192,177 | Other | University of Pittsburgh |
| ACE Center: Subject Assessment and Recruitment Core | \$907,560 | Other | University of Pittsburgh |
| ACE Center: Structural and chemical brain imaging of autism | \$521,038 | Q2.S.E | University of Washington |
| ACE Center: Risk and protective factors in the development of associated symptoms in autism | \$171,867 | Q4.S.F | University of Washington |
| ACE Center: Rare variant genetics, contactin-related proteins and autism | \$334,236 | Q3.Other | Yale University |
| ACE Center: Optimizing social and communication outcomes for toddlers with autism (supplement) | \$49,704 | Q4.S.F | University of California, Los Angeles |
| ACE Center: Optimizing social and communication outcomes for toddlers with autism | \$297,894 | Q4.S.F | University of California, Los Angeles |

| Project Title | Funding | Strategic Plan Objective | Institution |
|-------------------------------------------------------------------------------------------------------------|-----------|--------------------------|---------------------------------------|
| ACE Center: Neuroimaging studies of connectivity in ASD | \$337,540 | Q2.Other | Yale University |
| ACE Center: MRI studies of early brain development in autism | \$365,830 | Q1.L.A | University of California, San Diego |
| ACE Center: Mirror neuron and reward circuitry in autism (supplement) | \$51,364 | Q2.Other | University of California, Los Angeles |
| ACE Center: Mirror neuron and reward circuitry in autism | \$307,838 | Q2.Other | University of California, Los Angeles |
| ACE Center: Linguistic and social responses to speech in infants at risk for autism | \$308,398 | Q1.L.A | University of Washington |
| ACE Center: Integrated Biostatistical and Bioinformatic Analysis Core (IBBAC) | \$202,457 | Q1.L.A | University of California, San Diego |
| ACE Center: Imaging the autistic brain before it knows it has autism | \$206,916 | Q2.Other | University of California, San Diego |
| ACE Center: Imaging autism biomarkers + risk genes | \$201,934 | Q3.Other | University of California, San Diego |
| ACE Center: Genetics of serotonin in autism: Neurochemical and clinical | \$377,577 | Q3.Other | University of Illinois at Chicago |
| ACE Center: Genetics of language & social communication: Connecting genes to brain & cognition (supplement) | \$55,592 | Q3.Other | University of California, Los Angeles |
| ACE Center: Genetics of language & social communication: Connecting genes to brain & cognition | \$333,180 | Q3.Other | University of California, Los Angeles |
| ACE Center: Genetic contributions to endophenotypes of autism | \$576,375 | Q3.L.B | University of Washington |
| ACE Center: Gaze perception abnormalities in infants with ASD | \$307,065 | Q1.L.A | Yale University |
| ACE Center: Eye-tracking studies of social engagement | \$307,211 | Q1.L.B | Yale University |
| ACE Center: Early detection and intervention in infants at risk for autism | \$627,746 | Q1.L.B | University of Washington |
| ACE Center: Disturbances of affective contact: Development of brain mechanisms for emotion (supplement) | \$32,703 | Q2.Other | University of Pittsburgh |
| ACE Center: Disturbances of affective contact: Development of brain mechanisms for emotion | \$154,445 | Q2.Other | University of Pittsburgh |
| ACE Center: Diffusion tensor MRI + histopathology of brain microstructure + fiber pathways (supplement) | \$2 | Q2.Other | University of Pittsburgh |
| ACE Center: Diffusion tensor MRI + histopathology of brain microstructure + fiber pathways | \$12 | Q2.Other | University of Pittsburgh |
| ACE Center: Development of categorization, facial knowledge in low & high functioning autism (supplement) | \$81,816 | Q2.Other | University of Pittsburgh |
| ACE Center: Development of categorization, facial knowledge in low & high functioning autism | \$386,379 | Q2.Other | University of Pittsburgh |
| ACE Center: Data Management and Analysis Core | \$202,737 | Q1.L.A | Yale University |

| Project Title | Funding | Strategic Plan Objective | Institution |
|--------------------------------------------------------------------------------------------------------|-------------|--------------------------|-----------------------------------------------|
| ACE Center: Data Management/Statistical Core | \$28 | Other | University of Washington |
| ACE Center: Data and Statistics Core | \$377,577 | Other | University of Illinois at Chicago |
| ACE Center: Cognitive affective and neurochemical processes underlying IS in autism | \$377,577 | Q2.Other | University of Illinois at Chicago |
| ACE Center: Clinical Phenotype: Treatment Response Core | \$205,498 | Q4.Other | University of California, San Diego |
| ACE Center: Clinical Phenotype: Recruitment and Assessment Core | \$393,095 | Q1.L.A | University of California, San Diego |
| ACE Center: Auditory mechanisms of social engagement | \$275,966 | Q1.Other | Yale University |
| ACE Center: Assessment Core | \$568,028 | Q1.L.A | Yale University |
| ACE Center: Assessment Core | \$377,572 | Q1.Other | University of Illinois at Chicago |
| ACE Center: Administrative Core | \$34,477 | Q1.L.A | University of California, San Diego |
| ACE Center: Administrative Core | \$147,818 | Q2.L.B | Yale University |
| 5/5-Elucidating the genetic architecture of autism by deep genomic sequencing | \$2,478,799 | Q3.S.A | Vanderbilt University |
| 4/5-Elucidating the genetic architecture of autism by deep genomic sequencing | \$482,846 | Q3.S.A | University of Pennsylvania |
| 3/5-Elucidating the genetic architecture of autism by deep genomic sequencing | \$571,568 | Q3.S.A | Mount Sinai School of Medicine |
| 3/3-Multisite RCT of early intervention for spoken communication in autism (supplement) | \$387,624 | Q4.S.F | Kennedy Krieger Institute |
| 3/3-Multisite RCT of early intervention for spoken communication in autism | \$426,589 | Q4.S.F | Kennedy Krieger Institute |
| 3/3 CBT for anxiety disorders in autism: Adapting treatment for adolescents | \$31,331 | Q4.S.F | University of Miami |
| 3/3-Atomoxetine placebo and parent training in autism | \$277,200 | Q4.S.F | University of Rochester |
| 2/5-Elucidating the genetic architecture of autism by deep genomic sequencing | \$2,442,659 | Q3.S.A | Broad Institute, Inc. |
| 2/3-Multisite RCT of early intervention for spoken communication in autism | \$374,423 | Q4.S.F | University of Rochester |
| 2/3 CBT for anxiety disorders in autism: Adapting treatment for adolescents | \$186,823 | Q4.S.F | University of South Florida |
| 2/3-Atomoxetine placebo and parent training in autism | \$358,106 | Q4.S.F | The Ohio State University |
| 2/2-Effects of parent-implemented intervention for toddlers with autism spectrum disorder (supplement) | \$175,000 | Q4.S.D | University of Michigan |
| 2/2-Effects of parent-implemented intervention for toddlers with autism spectrum disorder | \$919,021 | Q4.S.D | University of Michigan |
| 2/2 Development of a screening interview for research studies of ASD | \$364,291 | Q1.S.A | Cincinnati Children's Hospital Medical Center |

| Project Title | Funding | Strategic Plan Objective | Institution |
|--------------------------------------------------------------------------------------------------------|-------------|--------------------------|---------------------------------------|
| 1/5-Elucidating the genetic architecture of autism by deep genomic sequencing | \$2,000,000 | Q3.S.A | Baylor College of Medicine |
| 1/3-Multisite RCT of early intervention for spoken communication in autism | \$545,574 | Q4.S.F | University of California, Los Angeles |
| 1/3 CBT for anxiety disorders in autism: Adapting treatment for adolescents | \$221,667 | Q4.S.F | University of California, Los Angeles |
| 1/3-Atomoxetine placebo and parent training in autism | \$272,698 | Q4.S.F | University of Pittsburgh |
| 1/2-Effects of parent-implemented intervention for toddlers with autism spectrum disorder (supplement) | \$175,000 | Q4.S.D | Florida State University |
| 1/2-Effects of parent-implemented intervention for toddlers with autism spectrum disorder | \$535,179 | Q4.S.D | Florida State University |
| 1/2 Development of a screening interview for research studies of ASD | \$617,084 | Q1.S.A | University of Michigan |

